



**GASSÓ**.PT

## RACORES GAROLLA


<http://WWW.GASSO.PT>

Em qualquer lugar  
a qualquer hora



GASSOPT





**ABRAÇADEIRA |**

Aço Inoxidável (fig. 102)



DN	A	B	C	D	E	Kg	AISI304
40	220	92	109	110	M-8	0,29	●
50	230	109	117	110	M-8	0,30	●
60	260	114	130	110	M-8	0,33	●
70	290	125	150	110	M-8	0,41	●
80	312	138	158	110	M-8	0,44	●
100	351	160	174	110	M-10	0,56	●
120	420	191	213	110	M-10	0,69	●
150	478	217	244	110	M-10	0,84	●

**CURVA GARROLA |**

Aço Inoxidável (fig. 103)



DN	Kg	AISI304	AISI316
40	0,32	●	●
50	0,46	●	●
60	0,66	●	●
70	0,80	●	●
80	1,18	●	●
100	1,77	●	●
120	2,72	●	●
150	3,73	●	●

**CURVA GARROLA + CANHÃO PARA MANGUEIRA |**

Aço Inoxidável (fig. 104)




DN	Kg	AISI304	AISI316
40	0,31	●	●
50	0,47	●	●
60	0,66	●	●
70	0,88	●	●
80	1,34	●	●
100	2,05	●	●
120	3,24	●	●
125	3,31	●	●
150	4,26	●	●

**GARROLA PARA MANGUEIRAS |**

Aço Inoxidável (fig. 105/M)



DN	Kg	AISI304	AISI316
40	0,17	●	●
50	0,25	●	●
60	0,33	●	●
70	0,46	●	●
80	0,58	●	●
100	0,90	●	●
120	1,23	●	●
125	1,25	●	●
150	1,58	●	●




**GARRALA PARA MANGUEIRA COM ABRAÇADEIRA DIN-2817 |**

Aço Inoxidável (fig. 105/A)



DN	ØD	A	D1	B	C	Kg	AISI304	AISI316
40	40	37	50	70	35	0,21	●	●
50	50	46	60	70	35	0,30	●	●
60	65	61	75	75	35	0,40	●	●
70	75	71	85	90	45	0,61	●	●
80	80	74	88	100	50	0,65	●	●
100	100	94	114	120	60	0,99	●	●
125	125	119	137	140	70	1,47	●	●
150	150	144	167	160	80	1,84	●	●




**FEICHO |**

Aço Inoxidável (fig. 110)

DN	A	B	Kg	AISI304
40				●
50				●
60	M-8	107	0,04	●
70				●
80				●
100				●
120	M-10	110	0,07	●
150				●

**GARROLA PARA SOLDAR |**


Aço Inoxidável (fig. 106)



DN	A	B	C	D	Kg	AISI304	AISI316
40	66	40	21	9	0,09	●	●
50	75	50	26	11	0,12	●	●
	75	53	26	11	0,12	●	●
60	87	60	30	13	0,16	●	●
	87	63	30	13	0,16	●	●
70	99	70	33	14	0,20	●	●
	99	73	33	14	0,20	●	●
80	108	80	26	15	0,21	●	●
	108	84	26	15	0,21	●	●
100	128	100	33	15	0,28	●	●
	128	104	33	15	0,28	●	●
120	157	125	35	15	0,41	●	●
	157	129	35	15	0,41	●	●
154	183	154	39	19	0,52	●	●

**JUNTA |**

Diversos (fig. 108/J)



Tipo	E	F	G	Kg	EPDM Cinza	EPDM Preta
40	64	48	15	0,02	●	●
50	73	57	15	0,02	●	●
60	85	67	15	0,03	●	●
70	97	77	15	0,04	●	●
80	106	86	15	0,06	●	●
100	126	104	14	0,05	●	●
120	155	130	15	0,10	●	●
150	181	161	15	0,15	●	●

**TAMPÃO DE GARROLA |**

Aço Inoxidável (fig. 109)



DN	Kg	AISI304	AISI316
40	0,11	●	●
50	0,14	●	●
60	0,21	●	●
70	0,27	●	●
80	0,29	●	●
100	0,44	●	●
120	0,66	●	●
150	0,86	●	●

**REDUÇÕES GARROLA |**

Aço Inoxidável (fig. 107)



DN	Kg	AISI304	AISI316
50/40	0,20	●	●
60/40	0,26	●	●
60/50	0,30	●	●
70/40	0,31	●	●
70/50	0,34	●	●
70/60	0,38	●	●
80/40	0,36	●	●
80/50	0,40	●	●
80/60	0,41	●	●
80/70	0,45	●	●
100/40	0,48	●	●
100/50	0,51	●	●
100/60	0,55	●	●
100/70	0,59	●	●
100/80	1,00	●	●
120/40	0,72	●	●
120/50	0,76	●	●
120/60	0,77	●	●
120/70	0,79	●	●
120/80	0,79	●	●
120/100	0,82	●	●
150/40	0,92	●	●
150/50	0,96	●	●
150/60	0,97	●	●
150/70	0,99	●	●
150/80	0,99	●	●
150/100	0,99	●	●
150/120	1,02	●	●



Praceta Emídio Santana , 13-B  
Zona Industrial Casal do Marco  
2840-588 Paio Pires - Portugal

site: [www.gasso.pt](http://www.gasso.pt)  
email: [info@gasso.pt](mailto:info@gasso.pt)

tel.: +351 212 267 850  
fax: +351 212 267 859



#### Apoio ao cliente

**Norte**  
tel.: +351 918 799 403

**Centro/Sul**  
tel.: +351 913 936 925



GASSOPT